

HOUSEHOLD SIZE	100%	133%	138%	190%	240%	250%	300%
1	[\$973] <u>\$981</u>	[\$1,294] <u>\$1,305</u>	[\$1,343] <u>\$1,354</u>	[\$1,848] <u>\$1,864</u>	[\$2,334] <u>\$2,354</u>	[\$2,432] <u>\$2,453</u>	[\$2,918] <u>\$2,943</u>
2	[\$1,311] <u>\$1,328</u>	[\$1,744] <u>\$1,766</u>	[\$1,809] <u>\$1,832</u>	[\$2,491] <u>\$2,523</u>	[\$3,146] <u>\$3,186</u>	[\$3,278] <u>\$3,319</u>	[\$3,933] <u>\$3,989</u>
3	[\$1,650] <u>\$1,675</u>	[\$2,194] <u>\$2,227</u>	[\$2,276] <u>\$2,311</u>	[\$3,134] <u>\$3,181</u>	[\$3,959] <u>\$4,019</u>	[\$4,123] <u>\$4,186</u>	[\$4,948] <u>\$5,023</u>
4	[\$1,988] <u>\$2,021</u>	[\$2,644] <u>\$2,688</u>	[\$2,743] <u>\$2,789</u>	[\$3,777] <u>\$3,840</u>	[\$4,770] <u>\$4,850</u>	[\$4,969] <u>\$5,053</u>	[\$5,963] <u>\$6,063</u>
5	[\$2,326] <u>\$2,368</u>	[\$3,094] <u>\$3,149</u>	[\$3,210] <u>\$3,268</u>	[\$4,420] <u>\$4,499</u>	[\$5,582] <u>\$5,682</u>	[\$5,815] <u>\$5,919</u>	[\$6,978] <u>\$7,103</u>
6	[\$2,665] <u>\$2,715</u>	[\$3,544] <u>\$3,610</u>	[\$3,677] <u>\$3,746</u>	[\$5,062] <u>\$5,157</u>	[\$6,395] <u>\$6,515</u>	[\$6,661] <u>\$6,786</u>	[\$7,993] <u>\$8,143</u>
7	[\$3,003] <u>\$3,061</u>	[\$3,994] <u>\$4,071</u>	[\$4,144] <u>\$4,224</u>	[\$5,705] <u>\$5,816</u>	[\$7,206] <u>\$7,346</u>	[\$7,507] <u>\$7,653</u>	[\$9,008] <u>\$9,183</u>
8	[\$3,341] <u>\$3,408</u>	[\$4,444] <u>\$4,532</u>	[\$4,611] <u>\$4,703</u>	[\$6,348] <u>\$6,475</u>	[\$8,018] <u>\$8,178</u>	[\$8,353] <u>\$8,519</u>	[\$10,023] <u>\$10,223</u>
+1	[\$338] <u>\$347</u>	[\$450] <u>\$461</u>	[\$467] <u>\$479</u>	[\$643] <u>\$659</u>	[\$812] <u>\$832</u>	[\$846] <u>\$866</u>	[\$1,015] <u>\$1,040</u>

[8.291.430.10 NMAC - Rp, 8.291.430.10 NMAC, 1-1-14; A, 5-1-14; A/E, 4-1-15]

REGULATION AND LICENSING DEPARTMENT CONSTRUCTION INDUSTRIES DIVISION

14.8.2 NMAC, 2009 New Mexico Plumbing Code, (filed 5-29-13) repealed and replaced by 14.8.2 NMAC, 2012 New Mexico Plumbing Code, effective 05/01/2015.

14.8.3 NMAC, 2009 New Mexico Swimming Pool, Spa and Hot Tub Code, (filed 5-29-13) repealed and replaced by 14.8.3 NMAC, 2012 New Mexico Swimming Pool, Spa and Hot Tub Code, effective 05/01/2015.

14.9.2 NMAC, 2009 New Mexico Mechanical Code, (filed 5-29-13) repealed and replaced by 14.9.2 NMAC, 2012 New Mexico Mechanical Code, effective 05/01/2015.

14.9.6 NMAC, 2009 New Mexico Solar Energy Code, (filed 09-27-2011) repealed and replaced by 14.9.6 NMAC, 2012 New Mexico Solar Energy Code, effective 05/01/2015.

REGULATION AND LICENSING DEPARTMENT CONSTRUCTION INDUSTRIES DIVISION

TITLE 14 HOUSING AND CONSTRUCTION CHAPTER 8 PLUMBING CODES PART 2 2012 NEW MEXICO PLUMBING CODE

14.8.2.1 ISSUING AGENCY: Construction Industries Division (CID) of the Regulation and Licensing Department.
[14.8.2.1 NMAC - Rp, 14.8.2.1 NMAC, 05/01/15]

14.8.2.2 SCOPE: This rule applies to all contracting work performed in New Mexico on or after May 1, 2015, that is subject to the jurisdiction of CID, unless performed pursuant to a permit for which an application was received by CID before that date.
[14.8.2.2 NMAC - Rp, 14.8.2.2 NMAC, 05/01/15]

14.8.2.3 STATUTORY AUTHORITY: Section 60-13-9 and 60-13-44 NMSA 1978.
[14.8.2.3 NMAC - Rp, 14.8.2.3 NMAC, 05/01/15]

14.8.2.4 DURATION: Permanent.
[14.8.2.4 NMAC - Rp, 14.8.2.4 NMAC, 05/01/15]

14.8.2.5 EFFECTIVE DATE:
May 1, 2015, unless a later date is cited at the end of a section.

[14.8.2.5 NMAC - Rp, 14.8.2.5 NMAC, 05/01/15]

14.8.2.6 OBJECTIVE: The purpose of this rule is to establish minimum standards for all plumbing, as defined in Construction Industries Licensing Act (CILA) Section 60-12-32, in New Mexico.
[14.8.2.6 NMAC - Rp, 14.8.2.6 NMAC, 05/01/15]

14.8.2.7 DEFINITIONS: See 14.5.1 NMAC, General Provisions and Chapter 2 of the 2012 Uniform Plumbing Code (UPC) as amended in 14.8.2.10 NMAC.
[14.8.2.7 NMAC - Rp, 14.8.2.7 NMAC, 05/01/15]

14.8.2.8 ADOPTION OF THE 2012 UNIFORM PLUMBING CODE:
A. This rule adopts by reference the 2012 Uniform Plumbing Code and all appendices, as amended by this rule.
B. In this rule, the internal numbering of each provision corresponds with the numbering of the 2012 Uniform Plumbing Code.
C. This rule is to be applied in conjunction with 14.7.6 NMAC, the 2009 New Mexico Energy Conservation Code.
[14.8.2.8 NMAC - Rp, 14.8.2.8 NMAC, 05/01/15]

14.8.2.9 CHAPTER 1 ADMINISTRATION:
A. 101.0 General.
(1) 101.1 Title. Delete this section of the UPC and substitute: This code shall be known as the 2012 New Mexico Plumbing Code (NMPC).
(2) 101.2 Scope. Delete this section of the UPC and see 14.8.2.2 NMAC.
(3) 101.3 Purpose. Delete this section of the UPC except as provided in 14.8.2.6 NMAC.
(4) 101.4 Conflicts between codes. Delete this section of the UPC and see 14.5.1 NMAC.
(5) 101.5 Plans required. Delete this section of the UPC except as provided in 14.5.2 NMAC.
(6) 101.7 Maintenance. Delete this section of the UPC.
(7) 101.8 Existing construction. Delete this section of the UPC.
(8) 101.10 Appendices. Delete this section of the UPC except in 14.8.2.30 NMAC.

B. 102.0 Organization and enforcement.
(1) 102.1 Authority having jurisdiction. Delete this section of the UPC.
(2) 102.2 Duties and powers of the authority having jurisdiction.
(a) 102.2.1 Right of entry. Delete this section of the UPC and see CILA Section 60-13-42.
(b) 102.2.2 Stop orders. Delete this section of the UPC and see 14.5.2 NMAC.
(c) 102.2.3 Authority to disconnect utilities in emergencies. Delete this section of the UPC and see CILA Section 60-13-42.
(d) 102.2.4 Authority to condemn. Delete this section of the UPC and see 14.5.1 NMAC.
(e) 102.2.5 Liability. Delete this section of the UPC and see CILA Section 60-13-26.
(3) 102.3 Board of appeals. 102.3.1 Limitations of authority.
(4) 102.4 Violations. Delete this section of the UPC and see CILA Section 60-13-1 to -59, and 14.5.3 NMAC.
(5) 102.5 Penalties. Delete this section of the UPC and see CILA Section 60-13-1 to -59, and 14.5.3 NMAC.
C. 103.0 Permits and Inspections.
(1) 103.1 Permits required. Delete this section of the UPC except as provided in 14.5.2 NMAC.
(2) 103.2 Application for permit. Delete this section of the UPC except as provided in 14.5.2 NMAC.
(3) 103.3 Permit issuance. Delete this section of the UPC except as provided in 14.5.2 NMAC.
Delete this section of the UPC and see 14.5.5 NMAC.
(4) 103.4 Fees.
(5) 103.5 Inspections. Delete this section except as provided in 14.5.3 NMAC.
(6) 103.6 Connection approval. Delete this section of the UPC and see 14.5.3 NMAC.
(7) 103.7 Unconstitutional. Delete this section of the UPC and see 14.5.1 NMAC.
(8) 103.8 Validity. Delete this section of the UPC and see 14.5.1 NMAC.
(9) Table 103.4 Plumbing permit fees. Delete plumbing permit fees, table 103.4, from the UPC.

[14.8.2.9 NMAC - Rp, 14.8.2.9 NMAC, 05/01/15]

14.8.2.10 CHAPTER 2 DEFINITIONS: See this chapter of the UPC except as provided below.
A. 203.0 Authority having jurisdiction. Delete the text of this definition and substitute: The authority having jurisdiction is the construction industries division (CID) and the bureau chief of the mechanical and plumbing bureau of CID.
B. 214.0 Listing agency. See this definition in the UPC and Section 60-13-44 of the CILA.
[14.8.2.10 NMAC - Rp, 14.8.2.10 NMAC, 05/01/15]

14.8.2.11 CHAPTER 3 GENERAL REGULATIONS: See this chapter of the UPC except as provided below.
A. 301.2 Alternate materials and methods of construction equivalency. Delete this section of the UPC and see 14.5.1 NMAC.
B. 301.3 Flood hazard areas. See this section of the UPC.
C. 301.4 Alternative engineered design. See this section of the UPC except as provided below.
(1) 301.4.1 Permit application. Delete this section of the UPC and see 14.5.2 NMAC.
(2) 301.4.2 Technical data. See this section of the UPC.
(3) 301.4.3 Design documents. See this section of the UPC and 14.5.2 NMAC.
(4) 301.4.4 Design approval. Delete this section of the UPC and see 14.5.2 NMAC.
(5) 301.4.5 Design review. Delete this section of the UPC and see 14.5.2 NMAC.
(6) 301.4.6 Inspection and testing. Delete this section of the UPC and see 14.5.2 NMAC and 14.5.3 NMAC.
[14.8.2.11 NMAC - Rp, 14.8.2.11 NMAC, 05/01/15]

14.8.2.12 CHAPTER 4 PLUMBING FIXTURES AND FIXTURE FITTINGS: See this chapter of the UPC except as provided below.
A. 402.3.1 Nonwater urinals. See this section of the UPC and add the following to the end: Nonwater urinals shall be located on the downstream side of a frequently used water-using fixture.
B. 406.0 Prohibited fixtures.
(1) 406.1